


## AMENDMENTS TO THE CLAIMS


Claim 1 (currently amended)

1. A water-in-oil emulsion

- (a) with a content of water and optionally water-soluble substances totalling [at least 80%] greater than 85% by weight, and with a content of lipids, emulsifiers and lipophilic constituents of less than [20%] 15% by weight, in each case based on the total weight of the preparations.
- (b) comprising at least one surface-active substance selected from the group consisting of substances of the general formula (I)




where A and A' are identical or different organic radicals selected from the group consisting of branched and unbranched, saturated and unsaturated alkyl and acyl radicals and hydroxyacyl radicals having 10 - 30 carbon atoms, and the group consisting of hydroxyacyl groups bonded together via ester functions, according to the scheme



where R' is selected from the group consisting of branched and unbranched alkyl groups having 1 to 20 carbon atoms, and R is selected from the group consisting of branched and unbranched alkylene groups having 1 to 20 carbon atoms, and b is a number from 0 to 200.

- a is a number from 1 to 100,
- X is a single bond or the group



- R<sub>1</sub> and R<sub>2</sub> independently of one another are selected from the group consisting of H and methyl,
  - R<sub>3</sub> is selected from the group consisting of H, and of branched and unbranched, saturated and unsaturated alkyl- and acyl radicals having 1 - 20 carbon atoms,
- (c) additionally comprising at least one cationic polymer, wherein said at least one cationic polymer is selected from the group consisting of cationic cellulose derivatized with a quaternary ammonium salt, cationic starch, copolymers of diallylammonium salts and acrylamides, quaternized vinylpyrrolidone/ vinylimidazole polymers, condensation products of polyglycols and amines, quaternized collagen polypeptides, quaternized wheat polypeptides, polyethyleneimine, cationic silicone polymers, copolymers of adipic acid with dimethylaminohydroxypropyldiethylenetriamine, copolymers of acrylic acid with dimethyldiallylammonium chloride, polyaminopolyamides, and cationic guar gum.

Claim 2 (cancelled)

Claim 3 (previously amended)

3. Emulsion according to claim 1, wherein the surface-active substance is polyethylene glycol-30 dihydroxystearate.

sub  
E1  
C004

Claim 4 (previously amended)

4. Emulsion according to claim 1, wherein the oil phase comprises at least 50% by weight of at least one substance selected from the group consisting of petrolatum, paraffin oil and polyolefins.

P1  
Contd

Claim 5 (previously amended)

5. Emulsion according to claim 1, comprising from 0.01 to 10% by weight of cationic polymers.

Claim 6 (cancelled)

Claim 7 (previously amended)

7. Emulsion according to claim 1, wherein a is a number from 2 to 60.

Claim 8 (previously amended)

8. Emulsion according to claim 7, wherein a is a number from 5 to 40.

Claim 9 (previously amended)

9. Emulsion according to claim 5, wherein said amount of cationic polymers is from 0.25 to 1.25% by weight.

Claim 10 (cancelled)

Claim 11 (previously amended)

11. The emulsion according to claim 1 wherein the cationic cellulose derivatized with quaternium ammonium salt is polyquaternium-10.